

**REMARKS**

In response to the Advisory Action dated November 12, 2002, claims 13 and 34 are amended, and claims 18, 19, 36 and 37 are canceled. Claims 13-17, 20, 21, 31-35 and 38-42 are now active in this application. No new matter has been added.


The reasons as to why amended independent claim 13 is believed to be patentable over Rokutanzono et al. in view of Bergmann et al., and why amended independent claim 34 is believed to be patentable over Rokutanzono et al. in view of Bergmann et al., and further in view of *Organic Photoreceptors for Imaging Systems*, to Borshenberger, pp. 25-35 and 289-296, are more fully described in the Appeal Brief filed concurrently herewith.

**CONCLUSION**

To the extent necessary, a petition for an extension of time under 37 C.F.R. 1.136 is hereby made. Please charge any shortage in fees due in connection with the filing of this paper, including extension of time fees, to Deposit Account 500417 and please credit any excess fees to such deposit account.

Respectfully submitted,

MCDERMOTT, WILL & EMERY

  
Edward J. Wise  
Registration No. 34,523

600 13<sup>th</sup> Street, N.W.  
Washington, DC 20005-3096  
(202)756-8000 EJW:khb  
Facsimile: (202)756-8087  
**Date: March 3, 2003**

**VERSION WITH MARKINGS TO SHOW CHANGES MADE**

**IN THE CLAIMS**

Please amend claims 13 and 34 as follows:

13. (Amended) A photosensitive member comprising:

a photosensitive layer; and

an exterior surface layer containing tantalum doped tin oxide having the mean particle size of 0.3 to 1.0 micro-meters.

34. (Twice Amended) A photosensitive member comprising:

a substrate;

a charge generating layer being formed on the substrate and containing an organic charge generating material;

a charge transporting layer being formed on the charge generating layer and containing a charge transporting material and a first binder resin; and

an exterior surface layer being formed on the charge transporting layer and containing tantalum doped tin oxide having the mean particle size of 0.3 to 1.0 micro-meters and a second binder resin.